


# 12V DC RIGID Strip Lighting

## IP 33 NON WATERPROOF



**SIGNLIGHTING.COM.AU**  
**SASIGN INTERNATIONAL**

ABN: 27 537 787 593  
 Noel Symon  
 Ph: 07 5564 9930  
 email: sales@sasign.com.au  
 3/31 Dominions Rd, Ashmore, QLD 4214



*Specialist Suppliers of Edge-lit and Signage lighting since 1992*

### Slimline series



#### Specifications:

Mounted on FR4 PCB (fiberglass for structural integrity)  
 Dimensions -496mm X 4mm X 1.6mm  
 45X Chips per strip - Epistar 3528 chip  
 3.6W per strip, 7.2 per Metre  
 Colors: Pure White 6000K, Green, Blue, Red  
 Beam angle 160 Degrees  
 Can be Cut and Soldered every 3 chips  
 Working Temperature: - 40 to + 70 Celcius  
 All strip lighting supplied with Double sided adhesive

### ECO Series



#### Specifications:

Mounted on FR4 PCB (fiberglass for structural integrity)  
 White- 30 X 5050 chips P/Meter; Colors- 60 X Chips per meter  
 7.2W per Metre  
 Colours: Pure White 6000K, Blue, Red, Green, Amber  
 Beam angle 140 Degrees (White) 120 Degrees- colors  
 Can be Cut and Soldered every 3 chips  
 Dimensions - 500mm X (white 10mm) and (colours 9mm) X 3mm  
 Working Temperature: - 40 to + 50 Celcius  
 All strip lighting supplied with Double sided adhesive

### Super Bright Series



#### Specifications:

Mounted on FR4 PCB - NO solder points on Underside  
 30 X Chips per strip -Epistar 5050 Triple diode  
 White 6000K, & 3500K, Blue, Pink, Red, Cyan, Green, Amber, RGB  
 Dimensions - 500mm X 10mm X 3mm  
 14.4W per Metre (7.2W per strip)  
 Beam angle 120 Degrees  
 Can be Cut and Soldered every 3 chips (5cm)  
 Working Temperature: - 40 to + 50 Celcius  
 Supplied with 3M 468MP 200 Double sided adhesive

### Single Sided Lightbox



#### Specifications:

Mounted on Alluminium - IP33  
 12 Chips per meter - Cree 3030 chip  
 Color - white 6000K; 280 lumens per L/M  
 Dimensions: L1000 X W17 X H4mm  
 40W per 10 strips- nominal  
 Beam Angle = special lense - 170 degrees  
 Can be cut and soldered  
 For SINGLE sided light boxes 4cm - 40cm deep

VO Classified
UL Listed
Age Tested
ESD sensitive
<b>CE</b>
<b>RoHS</b>

*The bitterness of poor quality remains long after the sweetness of low price is forgotten.*